


CERTIFICATE OF ANALYSIS No.: 2022-9203

CLIENT

KANNABIO HEMP HELLAS, SKOUFA 110
38334 VOLOS, Greece

SAMPLE *

vital drops 5



Sample condition: SUITABLE
Sample ID: 2223007
Sample type: Viscous liquid
Batch No.: * lot: 04G

Work order: 2022-106613
Analysis ID: 2022_131
Method ID: PHL_RPC_12C
Method SOP: MET-LAB-003-02

Sample received: 06/06/2022
Start of analysis: 06/06/2022
End of analysis: 08/06/2022
Analyst: Karmen Korbar

* Information provided by the client.

CANNABINOID PROFILE		Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
CBDV	- Cannabidivarin	< LOQ	n/a	_____
CBDA	- Cannabidiolic acid	< LOQ	n/a	_____
CBGA	- Cannabigerolic acid	0.040	0.012	_____
CBG	- Cannabigerol	4.87	0.34	████████████████████
CBD	- Cannabidiol	0.483	0.072	██████████
THCV	- Tetrahydrocannabivarin	< LOQ	n/a	_____
CBN	- Cannabinol	< LOQ	n/a	_____
Δ⁹-THC	- Δ-9-Tetrahydrocannabinol	< LOQ	n/a	_____
Δ⁸-THC	- Δ-8-Tetrahydrocannabinol	< LOQ	n/a	_____
CBL	- Cannabicyclol	< LOQ	n/a	_____
CBC	- Cannabichromene	0.111	0.019	██████████
Δ⁹-THCA	- Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	_____
CBE	- Cannabielsoin	< LOQ #	n/a	_____
CBNV	- Cannabivarin	< LOQ #	n/a	_____
CBCA	- Cannabichromenic acid	< LOQ #	n/a	_____
CBT	- Cannabicitran	< LOQ #	n/a	_____

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor k = 2, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

08/06/2022

Approved by:

mag. Marko Dragan
Analytical Laboratory Manager

Authorized by:

dr. Boštjan Jančar
Chief Technology Officer

End of Certificate